

-21-

What is claimed is:

- 1 1. A system for near real-time transfer of a datafile from a first computer to a  
2 second computer, comprising:  
3 a first computer having:  
4 a connection to a computer network and operable to communicate over the  
5 computer network using a standard protocol;  
6 a server side script, responsive to a down-load request from a the second  
7 computer, operable to launch an httpstreamproducer and to read and write data over  
8 the computer network using the standard protocol;  
9 the httpstreamproducer operable to read a designated source file and  
10 simultaneously write data from the source file into a return-data-buffer connected to  
11 the server-side script; and  
12 a read-while-write mechanism allowing the httpstreamproducer to read data  
13 from the designated source file while the designated source file is being written by a  
14 data producer program; and  
15 a second computer having:  
16 a connection to the computer network and operable to communicate over the  
17 computer network using the standard protocol; and  
18 a transaction handler class, each instance of which is operable to read and  
19 write data over the computer network using the standard protocol and to write blocks  
20 of data to a destination simultaneously with receiving data from the computer  
21 network.
- 1 2. The system of Claim 1 wherein  
2 the first computer further comprises:

3 a webserver for transmitting a webpage containing a list of files available for  
4 download by other computers;

5 the second computer further comprises:

6 a webbrowser for displaying the webpage containing the list of files available  
7 for download; and

8 a trusted applet operable, in response to a user selecting a file from the list, to  
9 create a transaction handler instance for receiving the selected file.

1 3. The system of Claim 1 wherein

2 the second computer further comprises:

3 at least one stream handler class having at least one file interaction method for  
4 performing a file operation selected from the set creating a file, opening a file and  
5 writing to a file; and

6 wherein the transaction handler instance creates a stream handler instance  
7 appropriate for the file selected by the user.

1 4. The system of Claim 1 wherein the standard protocol is http.

1 5. The system of Claim 1 wherein the standard protocol is WAP.

1 6. The system of Claim 1 wherein the server-side script implements an http GET  
2 command and the down-load request is an invocation of the http GET command of  
3 the server-side script.

1 7. The system of Claim 1 further comprising an HttpStreamProducer class and  
2 wherein the HttpStreamProducer is an instance of the HttpStreamProducer class.

1 8. The system of Claim 1 wherein  
2 the first computer further comprises:  
3 a webserver for transmitting a webpage containing a list of files for download  
4 by other computers;  
5 the second computer further comprises:  
6 a webbrowser for displaying the webpage containing the list of files available  
7 for download; and  
8 a trusted applet operable, in response to a user selecting a file from the list, to  
9 create a transaction controller instance operable to manage a plurality of file transfer  
10 threads, wherein in each file transfer thread, in response to the request from a user to  
11 download a file, the transaction controller instance is operable to create a transaction  
12 handler instance for receiving data from the first computer.

1 9. The system of Claim 8 wherein  
2 the second computer further comprises:  
3 a stream handler class having a method for receiving data from the transaction  
4 handler instance and for writing data to a destination.

1 10. The system of Claim 9 wherein  
2 the destination is a data file.

1 11. The system of Claim 9 wherein  
2 the destination is an application program that is a data consumer.

1 12. The system of Claim 11 wherein

2 the destination is a database.

1 13. A method for near real-time download of a file via a computer network,  
2 comprising:

3 a) operating a client to select a file for download from a server;

4 b) establishing a network link between a first process executing on the client and a  
5 second process executing on the server;

6 c) reading at the server the selected file one block of data at a time;

7 d) transmitting the block of data as a continuous stream on the link from the server to  
8 the client; and

9 e) at the client, receiving the data as a continuous stream from the link and writing the  
10 data to a destination file one block at a time simultaneously to receiving the data.

1 14. The method of Claim 13 wherein the server side script is an Active Server  
2 Pages script.

1 15. A method for near-real time download of a file via a computer network,  
2 comprising:

3 a) on a server producing a list of files available for download;

4 b) on a client retrieving the list of files available for download;

5 c) selecting a file from the list;

6 d) in response to the selection of a file from the list, creating a transaction handler  
7 instance, wherein each transaction handler is operable to read and write data over the  
8 network;

9 e) operating the transaction handler instance to transmit a request over the computer  
10 network indicating to the server to transmit the selected file;

- 11 f) receiving the request at the server;
- 12 g) in response to receiving the request at the server:
  - 13 reading blocks of data from the selected file;
  - 14 placing the blocks of data in a return buffer;
  - 15 transmitting the blocks of data from the return buffer to the client concurrently
  - 16 with reading additional blocks of data;
- 17 h) receiving the blocks of data at the client; and
- 18 i) writing the blocks of data to a destination file concurrently with receiving additional
- 19 blocks of data.

1 16. The method of Claim 15 further comprising:

- 2 j) on the client side, launching an application program; and
- 3 k) upon receipt of blocks of data at the client, transferring the blocks of data to the
- 4 application program.

1 17. The method of Claim 15 wherein the step (a) of producing a list of files  
2 available for download comprises the step of creating a web page including the list of  
3 files.

1 18. The method of Claim 17 further comprising the step of transmitting from the  
2 server to the client the web page including the list of files.

1 19. An article of manufacture comprising a program storage medium having  
2 computer readable program code means embodied therein, wherein the computer  
3 readable program code comprises instructions to cause a computer system, having a

4 server side computer, a client side computer, and a computer network connecting the  
5 server side computer to the client side computer, to:

6 produce a list of files available for download from the server side computer;

7 display the list of files available for download on the client side computer;

8 allow a user to select on or more of the files available for download;

9 in response to the selection of a file from the list, create a transaction handler  
10 instance, wherein each transaction handler is operable to read and write data over the  
11 network;

12 transmit a request over computer network indicating to the server to transmit  
13 the selected file;

14 receive the request at the server;

15 in response to receiving the request at the server:

16 read blocks of data from the selected file;

17 place blocks of data in a return buffer;

18 transmit the blocks of data from the return buffer to the client  
19 concurrently with reading additional blocks of data;

20 receive the blocks of data at the client; and

21 to write the blocks of data to a destination concurrently with receiving  
22 additional blocks of data.

1 20. The article of manufacture of Claim 19, wherein the destination is a computer  
2 file.

1 21. The article of manufacture of Claim 19, further comprising computer readable  
2 program code instructions to cause the computer system to:

3 launch an application program on the client side; and

4           wherein the destination is the application program.

1   22.    The article of manufacture of Claim 19, wherein the destination is a database.

1   23.    An article of manufacture comprising a program storage medium having  
2   computer readable program code means embodied therein, wherein the computer  
3   readable program code comprises instructions to cause a computer system, having a  
4   server side computer, a client side computer, and a computer network connecting the  
5   server side computer to the client side computer, to transfer selected files from the  
6   server side to the client side, the instructions comprising:

7           a web page producer;

8           a web page reader, wherein the web page reader is operable to receive and to  
9   display a web page from the web page producer;

10          a server side script operable to receive a download request and to launch an  
11   httpstreamproducer and to receive and transmit data over a standard protocol;

12          an httpstreamproducer class each instance of which being operable to read a  
13   designated source file and simultaneously write data from the source file to a return-  
14   data-buffer; and

15          a read-while-write mechanism providing the computer system instructions to  
16   enable the simultaneous reading from and writing to a data source;

17          wherein the server script is operable to read data blocks from the return-data-  
18   buffer and to transmit the data blocks over the computer network;

19          a transaction controller operable to receive a create instruction and in response  
20   to the create instruction, to create a transaction handler;

21          a transaction handler operable:

22                  to create an httpstreamhandler;

23                  to transmit get commands to a server side script;

24 to receive blocks of data from the server side script; and  
25 to transfer the data to the httpstreamhandler;  
26 an httpstreamhandler operable:  
27 to receive data from the transactionhandler; and  
28 to write data to a destination.

1 24. A system for near real-time transfer of a datafile from a first computer to a  
2 second computer, comprising:  
3 a first computer having:  
4 a connection to a computer network and operable to communicate over the  
5 computer network using a standard protocol;  
6 a server side script operable to receive download requests from a second  
7 computer and, responsive to each download request from the second computer,  
8 operable to launch an httpstreamproducer and to read and write data over the  
9 computer network using the standard protocol;  
10 each httpstreamproducer operable to read a designated source file and  
11 simultaneously write data from the source file into a return-data-buffer connected to  
12 the server-side script; and  
13 a read-while-write mechanism allowing the httpstreamproducer to read data  
14 from the designated source file while the designated source file is being written by a  
15 data producer program;  
16 wherein the server side script is further operable to transmit blocks of data  
17 from the plurality of httpstreamproducers over the connection; and  
18 a second computer having:  
19 a connection to the computer network and operable to communicate over the  
20 computer network using the standard protocol;



21           a transaction controller operable to send data to and receive data from the  
22 server side script, and further operable to marshall the data to an appropriate  
23 transaction handler; and

24           a transaction handler class, each instance of which is operable to read and  
25 write data over the computer network using the standard protocol and to write blocks  
26 of data to a destination file simultaneously with receiving data from the computer  
27 network.